

BROUWLAND



Art. 057.700.50

<https://www.brouwland.com/en/qr/057.700.50>

## Brew Monk™ Magnus - All-in-one brewing system



### Specification

Packing dimensions and weight:

Weight	15 kg
Length	82 cm
Height	45 cm
Width	45 cm
EAN code	5420069827236

Brouwland bv  
BE 0412.461.618  
Korspelsesteenweg 86, 3581 Beverlo - Belgium

Tel. +32 11 40 14 08  
Contact [www.brouwland.com](http://www.brouwland.com)  
Web [www.brouwland.com](http://www.brouwland.com)

**BROUWLAND**



**Art. 057.700.50**

<https://www.brouwland.com/en/qr/057.700.50>

## **Brew Monk™ Magnus - All-in-one brewing system**

---

Brouwland bv  
BE 0412.461.618  
Korpelsesteenweg 86, 3581 Beverlo - Belgium

Tel. +32 11 40 14 08  
Contact [www.brouwland.com](http://www.brouwland.com)  
Web [www.brouwland.com](http://www.brouwland.com)



## Brew Monk™ Magnus - All-in-one brewing system

A new monk has joined the monastic order! Brew Monk Magnus, devoted to mashing, filtering and boiling in one kettle. New **matte finish** results in a stylish and contemporary design.

The Brew Monk Magnus is an automatic all-in-one, stainless steel brewing system, capable of effortlessly brewing up to 45 litres of wort. You control and monitor the mashing process through the programmable controller with **tilted digital display**. Thanks to the integrated malt pipe with **telescopically adjustable malt screens**, you no longer need a separate tank for filtering.

With a capacity of 3,000 watts, which is 25% higher than current kettles on the market, you bring your filtered wort quickly to the boil.

- capacity: 45 litre (total volume = 52 litre)
- ideal size: dimensions brewing kettle H x W = 69 x 35 cm
- stainless steel AISI 304
- power: adjustable from 100 to 3,000 W, in 100 W increments
- **telescopically adjustable malt pipe and screens**
  - SST malt pipe holds up to 12 kg, with adjustable SST screens and removable handle for lifting
  - the malt pipe can easily be lifted in **2 steps** thanks to the two-stage support. This reduces the risk of oxidation during sparging and is besides a lot more ergonomically while lifting.
- **reinforced bottom plate**
- integrated, **transparent circulation pipe with litre graduation** and valve; facilitates controlling the volume in the kettle and flow regulation
- integrated magnetic drive pump, can be operated separately
- programmable controller with **tilted digital display**
  - programme up to 9 brewing steps and up to 9 hop additions
  - alarm/reminder function & manual override function
  - memory for saving up to 9 recipes
  - temperature range: 25 – 100°C; division: 0.1°C
  - clear LCD screen
- **robust bazooka filter with screw thread in stainless steel**; easy to install and to clean
- removable SST ball valve ½" with nozzle
- glass lid to monitor the mashing process
- 220 V, 50 Hz
- 3 year warranty
- operating instructions available in 11 languages

TIP: Manual always on hand, just scan the QR-code on the backside of the Brew Monk.

[Click here for FAQs about Brew Monk™.](#)

Visit our store in Beverlo and check out our Brew Monk! We are open from Monday to Saturday (Sunday is the day of the Lord).